

GILL Series

Top-Joy International Trading(Shanghai)Co., Ltd.

Vinyl Flooring

GILL Series PVC flooring is the new-age answer to all your flooring worries. The PVC flooring is easy to install and maintain. It provides resistance to mild or diluted acids, soaps, detergents and petrol. GILL PVC flooring is durable and tough. It is able to withstand heavy traffic, making it the ideal choice for hospital, school, office, supermarket as well as playground, government facilities and bus. With our advanced technology, GILL absorbent carpet can easily defeat the traditional flooring in many ways. Plus its costless makes it to be the best floor decoration solution for your life.

Technical Data					
Total Thickness	1.8mm	2.0mm	2.6mm	3.0mm	
Total Weight	2400g/m ²	2500g/m ²	2800g/m ²	2900g/m²Co	
Roll Width	2.0m	2.0m	2.0m	2.0mRe	
Roll Length	20m	20m	20m	20m	
Thickness of Wear Layer	0.2mm	0.4mm	0.5mm	0.7mm	

Safety Criteria	Standard	Value
Flammability	EN 13501-1	Bfl
Slip Resistance	EN 51130	R9
Dynamic Coefficient	EN 13893	DS
Sound Insulation	EN ISO 717/2	≥4dB
Chemicals Resistance	EN 423	Good

Performance	Standard	Value
Wear Resistance	EN 649	T Level
Residual Indentation	EN 433	0.04mm
Castor Wheel Test	EN 425	Suitable
Color Fastness	ISO 105-BO2	≥6
Dimensional Stability	EN 434	≤0.04%
Antistatic Property	EN 1815	2.0KV
Thermal Resistance	EN 12667	<0.17 m 2 K/W
Thermal Conductivity	EN 12524	0.25W/MK















